



## DLF/DLH3200-I 32" TFT LCD, 2000nits LED Backlight, 1920x1080

The DLF/DLH3200-I is 32 inch industrial grade sunlight readable LCD, with high brightness 2000 nits, it produces sharp images, crisp text and lifelike colors. The Durapixel LED backlight technology ensures high reliability and low power consumption, suitable for outdoor application, kiosk, digital signage in retail stores, conference rooms, broadcast studios, public information.

### Key Features

- High brightness 2000nits
- Sunlight Readable
- Wide Operation Temperature (-30 °C ~70°C)
- LCD Blackening Defect Free (H-Tni 110 °C)
- Surface Treatment (Haze 28%)
- Low Power Consumption
- BL MTBF: 100,000 hours



## Specifications

Model Name	DLF/DLH3200-I
Description	32" TFT LCD, 2000nits LED Backlight, 1920x1080
Screen Size	32"
Display Area (mm)	698.40(H) x 392.85(V)
Brightness	2000 cd/m <sup>2</sup>
Resolution	1920x1080
Aspect Ratio	16 : 9
Contrast Ratio	6500 : 1
Pixel Pitch (mm)	0.36375(H) x 0.36375(V)
Pixel Per Inch (PPI)	69
Viewing Angle	178°(H),178°(V)
Color Saturation (NTSC)	82%
Display Colors	16.7M
Response Time (Typical)	9.5ms
Panel Interface	LVDS
Input Interface	DVI-I, HDMI, DP
Input Power	AC100~240V
Power Consumption	83W (86W With AD Board)
OSD Key	4 Keys (Power Switch, Menu, +, -)
OSD Control	Brightness, Color, Contrast, Auto Turing, H/V Position...etc
Dimensions (mm)	732.4 x 426.85 x 19.9
Bezel Size(U/B/L/R)	17/17/17/17 mm
Weight (Net)	5.96kg
Operating Temperature	-30 °C ~ 70 °C
Storage Temperature	-30 °C ~ 70 °C

DLF= Panel + LED Driving Board

DLH= Panel + LED Driving Board + AD Control Board



Specifications are subject to change without notice.  
All brands or product names are trademarks or registered trademarks of their respective companies.




## Mechanical Drawing

### Outline Dimensions

Unit:mm



**A M3 MOUNTING HOLE (14X), DP=4.0mm MAX, TOUQUE=5.0kgf-cm MAX**



**B M4 MOUNTING HOLE (4X), DP=8.0mm MAX, TOUQUE=8.0kgf-cm MAX**

Note :

1. Resolution: 1920x1080
2. "( )"marks the reference dimensions
3. Front Case is black paint



### Ordering Information

Part Number	Description
DLF3200-INE-A11	32",2000nits,1920x1080,T3070,HTni,Haze28%,2in1,V1
DLH3200-INE-Q11	32",2000nits,1920x1080,T3070,HTni,Haze28%,LID32C,AD8891DHP,,AC100~240V,2in1,V1

### Optional Accessories

Part Number	Description
810618301010	CABLE,POWER,AC,1830mm USA type
810618301090	CABLE,POWER,AC,1830mm Europe type
810618301050	CABLE,POWER,AC,1830mm UK type
810618301170	CABLE,POWER,AC,1830mm Australia type
810618301031	CABLE,POWER,AC,1830mm Japan type

### Customer request

Touch	Pcap (Multi-Touch)
Glass	Tempered glass, AR coating.....